Amendments to the Claims

This listing of claims will replace all prior versions, and listings, of claims in the application.

- 1. (Currently Amended) A coplanar waveguide line comprising:
- a substrate;
- a central electrode strip on the substrate;

first and second electrode strips disposed on a surface of the substrate and on opposite sides of the central electrode strip and extending parallel thereto;

first and second optical waveguides on the substrate, the optical waveguides being positioned between the first and central electrode strips and extending parallel thereto;

the central electrode comprising at least one T-rail extending proximate to the first optical waveguide;

the first electrode comprising at least one T-rail extending proximate to the second optical waveguide;

the substrate comprising an n⁺ electrically conducting layer extending between the optical waveguides;

wherein the coplanar waveguide line further comprises an electrical connection between first and second electrode strips.

- 2. (Original) A coplanar waveguide line as claimed in claim 1, wherein the electrical connection between first and second electrode strips is an airbridge.
- 3. (Original) A coplanar waveguide line as claimed in claim 1, wherein the electrical connection is wire bonded between the first and second electrode strips.
 - 4. (Original) A coplanar waveguide line as claimed in claim 1, wherein the

electrical connection between first and second electrodes extends through the back of the substrate.

- 5. (Previously Presented) A coplanar waveguide line as claimed in claim 1, comprising a plurality of electrical connections between first and second electrode strips, the electrical connections preferably being equally spaced.
- 6. (Previously Presented) A coplanar waveguide line as claimed in claim 1, wherein at least one of the central electrode strip and first electrode strip comprises a plurality of T-rails, preferably equally spaced.
- 7. (Previously Presented) A coplanar waveguide line as claimed in claim 1, wherein the T-rail comprises a contact pad electrically connected to the corresponding electrode strip by an airbridge.
- 8. (Previously Presented) A coplanar waveguide line as claimed in claim 7, wherein the contact pad abuts the optical waveguides.
- 9. (Previously Presented) A coplanar waveguide line as claimed in claim 1, wherein the substrate comprises a first isolation trench which extends through the n⁺ electrically conducting layer between the first electrode strip and optical waveguides.
- 10. (Previously Presented) A coplanar waveguide line as claimed in claim 9, wherein the substrate comprises a second isolation trench extending through the n⁺ electrically conducting layer between the central electrode strip and the optical waveguides.
- 11. (Previously Presented) A coplanar waveguide line as claimed in claim 10, wherein the substrate comprises a third isolation trench extending through the n⁺ electrically conducting layer between the central electrode strip and the second electrode

strip.

- 12. (Previously Presented) A Mach-Zehnder modulator including a coplanar waveguide line as claimed in claim 1.
 - 13. 16. (Cancelled).